

# QUARTZ SURFACES 2026

## 1<sup>ST</sup> QUARTER

*"SUGGERIMUS SED NON IMPONIMUS"*

**B.S.T.** srl - ITALY

**LINEAPHOENIX**<sup>®</sup>

EXCLUSIVE USA MARKETER - PHOENIX PRODUCTS INCORPORATED

"Supplier of surfaces for over 30 years"

WWW.PHOENIXPROINC.COM

EMAIL: PROJECTS@PHOENIXPROINC.COM

MOBILE / WHATSAPP: ITALY +39 392.061.6350 USA +1 781.789.8943 (MST / ARIZONA)

FOR VISITORS: WAREHOUSE LOCATION (BY APPOINTMENT ONLY)

B.S.T. SRL

NATURAL STONE & QUARTZ PRODUCTION

VIALE DOMENICO ZACCAGNA 21 - AREA MICHELETTI - AVENZA / CARRARA 54033 - ITALY



## GENERAL INFORMATION

### "LINEAPHOENIX® / LPHX EU – QUARTZ"

VERSION: 29 December 2025

VALID THROUGH MARCH 31, 2026

MATERIAL:	LATEST GENERATION POLYCHROME CRISTOBALITE TECHNOLOGY FOR 3D EFFECT; SUPERIOR QUALITY RESIN RESULTING IN A TIGHTER, UNIFORM SURFACE, NATURAL FEELING COLORS, DEPTH AND A SUPERB FINISH <b>NOT FOR EXTERIOR USE</b>
FULL BODY VEINING:	LIMITED TO 98% – COMPLIES WITH STANDARDS
QUARTZ CONTENT:	93% ± 3.2% (DEPENDING ON THE COLOR COMPOSITION)
FOOD SAFETY	ALL PRODUCTS COMPLY WITH NSF / ANSI STANDARD 51 FOR "ALL TYPES OF FOOD" - MAX. 200° C - 392° F
STORAGE	<b>INDOORS ONLY</b> - INDUSTRY DICTATES THAT STORING QUARTZ IN THE OPEN WILL ADVERSELY AFFECT THE COLOR AND FINISH
ORIGIN:	U.S.T.O. REGISTERED PRIVATE LABEL – CUSTOM EUROPEAN PRODUCTION
FINISHES:	POLISHED – HONED – SILK
MIXING:	MAXIMUM 2 COLORS PER CONTAINER – SAME THICKNESS
BOOK MATCHING:	EVEN BUNDLES PER COLOR – EACH BUNDLE MARKED "1" & "2" OR "A" & "B"

**WARRANTY & CARE INFORMATION**

**M.S.D.S. SHEET**

"SUGGERIMUS SED NON IMPONIMUS"

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® – WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

## CONTENTS (Please click on color name)

<b>NATIONAL BESTSELLERS</b> .....	<b>4</b>
<b>SUGGESTED "MUST HAVE" STOCK</b> .....	<b>4</b>
<b>ENTRY LEVEL COLORS</b> .....	<b>4</b>
<b>LATEST GENERATION POLYCHROME 3D EFFECT COLORS</b> .....	<b>5</b>
<b>QUARTZITE LOOK</b> .....	<b>6</b>
A – MAZE .....	7
ABALONE SHELL .....	8
ALBA FLUMEN .....	9
AURORA.....	9
BIANCO PERLA .....	10
CALACATTA BERGAMO .....	11
CALACATTA EXTRA .....	12
CALACATTA PRIMO .....	13
CALACATTA RHAPSODY .....	14
CALACATTA ROYAL .....	15
CALACATTA VIOLA .....	16
CARINA.....	17
CARRARA "C" .....	17
CARRARA FIVE VEIN.....	18
CELESTIAL .....	19
CEZANNE .....	19
CHOPIN .....	20
CONSERVATIVE GREY.....	20
CRYSTALLINO.....	21
DEKOBLE.....	22
DESERT BREEZE .....	23
DORADO .....	24
EMERALD BLACK.....	24
ESCAPE GREY .....	25
FINESSE.....	26
FOREST WOOD.....	27
FROST GREY (SILK FINISH ONLY) .....	28
GOLD CREST .....	29
GOLD HORIZON .....	29
GOLDEN ESSENCE.....	30

"SUGGERIMUS SED NON IMPONIMUS"

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

GRIS MORADO .....	31
HARMONIC GREY .....	32
HIGH SIERRA.....	32
HUMBLE GOLD.....	33
JUNEAU .....	33
KATHMANDU .....	34
KRIPTON.....	35
LILINOE.....	36
MATISSE GOLD .....	37
MISTY COVE.....	37
MORNING FOG .....	38
MOSCOW .....	39
NAVONA CREAM (TRAVERTINE LOOK).....	40
NIGHT WATCH (SILK FINISH ONLY).....	41
PERLA ROSATA.....	42
PIECE DE RESISTANCE (VEIN STRUCTURE AND COLOR INTENSITY MAY VARY BY LOT).....	42
PRIMAVERA .....	43
ROMANO CREAM (TRAVERTINE LOOK) .....	44
RYTHMIC BLUE.....	45
SATURINO .....	46
SERENITY .....	47
SHELL WHITE.....	48
SPALDING GRAY .....	49
STATUARIO ALTISSIMO .....	50
STATUARIO CLASSICO.....	50
STATUARIO ROMA .....	51
STATUARIO VENATO.....	52
SUMMER DREAM.....	53
SUPER WHITE .....	53
THASSOS EXTRA.....	54
UNIQUE GRAY .....	55
WINTER CREEK .....	56
WHITE MIST .....	57



### **NATIONAL BESTSELLERS**

- BIANCO PERLA
- CALACATTA EXTRA
- CALACATTA VIOLA
- FINESSE
- FROST GREY
- GOLD CREST
- KATHMANDU
- LILINOE
- MATISSE GOLD
- MOSCOW
- PERLA ROSATA
- PIECE DE RESISTANCE
- SHELL WHITE
- STATUARIO CLASSICO
- STATUARIO ROMA
- SUPER WHITE
- WINTER CREEK

### **SUGGESTED "MUST HAVE" STOCK**

- CALACATTA EXTRA
- CALACATTA VIOLA
- GOLD CREST
- MATISSE GOLD
- FINESSE
- MOSCOW
- PERLA ROSATA
- PIECE DE RESISTANCE
- SHELL WHITE
- THASSOS EXTRA
- WINTER CREEK

### **ENTRY LEVEL COLORS**

- AURORA
- CALACATTA BERGAMO
- CALACATTA PRIMO
- CARRARA "C"
- CARRARA FINE VEIN
- FINESSE
- MOSCOW
- STATUARIO CLASSICO
- STATUARIO ROMA
- STATUARIO VENATO



"SUGGERIMUS SED NON IMPONIMUS"

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

## LATEST GENERATION POLYCHROME 3D EFFECT COLORS

- A-MAZE
- BIANCO PERLA
- CALACATTA VIOLA
- CARINA
- CELESTIAL
- CHOPIN
- CONSERVATIVE GREY
- CRYSTALLINO
- DEKOBUE
- DESERT BREEZE
- DORADO
- EMERALD BLACK
- ESCAPE GREY
- FOREST WOOD
- FROST GREY
- GOLD CREST
- GOLD HORIZON
- GOLDEN ESSENCE
- GRIS MORADO
- HARMONIC GREY
- HUMBLE GOLD
- JUNEAU
- KRIPTON
- LILINOE
- MISTY COVE
- MORNING FOG
- PERLA ROSATA
- PIECE DE RESISTANCE
- SERENITY
- SHELL WHITE
- SPALDING GRAY
- STATUARIO ALTISSIMO
- SUMMER DREAM
- SUPER WHITE
- UNIQUE GRAY
- WHITE MIST



“SUGGERIMUS SED NON IMPONIMUS”

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® – [WWW.PHOENIXPROINC.COM](http://WWW.PHOENIXPROINC.COM) / IT +39 392.061.6350 USA +1 781.789.8943

## QUARTZITE LOOK

- BIANCO PERLA
- CARINA
- CELESTIAL
- CRYSTALLINO
- EMERALD BLACK
- ESCAPE GREY
- FOREST WOOD
- GOLD CREST
- GOLD HORIZON
- GOLDEN ESSENCE
- JUNEAU
- MORNING FOG
- PRIMAVERA
- RYTHMIC BLUE
- SATURINO
- SHELL WHITE
- SUPER WHITE
- WHITE MIST



“SUGGERIMUS SED NON IMPONIMUS”

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943



## A – MAZE

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| A-MAZE

FULL BODY EU QUARTZ



“SUGGERIMUS SED NON IMPONIMUS”

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® – [WWW.PHOENIXPROINC.COM](http://WWW.PHOENIXPROINC.COM) / IT +39 392.061.6350 USA +1 781.789.8943

**ABALONE SHELL**



**ABALONE SHELL**




## ALBA FLUMEN

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| ALBA FLUMEN

FULL BODY EU QUARTZ



## AURORA

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| AURORA

FULL BODY EU QUARTZ



## BIANCO PERLA

  
LINEAPHOENIX®

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| BIANCO PERLA      FULL BODY EU QUARTZ



## CALACATTA BERGAMO



## CALACATTA BERGAMO



  
LINEAPHOENIX®




"SUGGERIMUS SED NON IMPONIMUS"  
QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

**CALACATTA EXTRA**



**CALACATTA EXTRA**



  
**LINEAPHOENIX®**



## CALACATTA PRIMO

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM


| CALACATTA PRIMO      FULL BODY EU QUARTZ



**CALACATTA RHAPSODY**



**CALACATTA RHAPSODY**



  
**LINEAPHOENIX®**



CALACATTA ROYAL



CALACATTA ROYAL



  
LINEAPHOENIX®



“SUGGERIMUS SED NON IMPONIMUS”  
QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

**CALACATTA VIOLA**



**CALACATTA VIOLA**



## CARINA

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| CARINA FULL BODY EU QUARTZ




## CARRARA "C"

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM


| CARRARA "C" FULL BODY EU QUARTZ




**CARRARA FIVE VEIN**



**CARRARA FINE VEIN**




## CELESTIAL

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| CELESTIAL      FULL BODY EU QUARTZ



## CEZANNE

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| CEZANNE      FULL BODY EU QUARTZ



## CHOPIN

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| CHOPIN FULL BODY EU QUARTZ



## CONSERVATIVE GREY

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| CONSERVATIVE GREY FULL BODY EU QUARTZ



## CRYSTALLINO

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM


| CRYSTALLINO FULL BODY EU QUARTZ



DEKOBLUE



DEKOBLUE



  
LINEAPHOENIX®



**DESERT BREEZE**



**DESERT BREEZE**



## DORADO


  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| DORADO

FULL BODY EU QUARTZ



## EMERALD BLACK


  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| EMERALD BLACK

FULL BODY EU QUARTZ



## ESCAPE GREY

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| ESCAPE GREY

FULL BODY EU QUARTZ



## FINESSE

  
LINEAPHOENIX®

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| FINESSE FULL BODY EU QUARTZ




FOREST WOOD



FORESTWOOD

  
LINEAPHOENIX®



**FROST GREY (SILK FINISH ONLY)**



**FROST GREY**



## GOLD CREST

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| GOLD CREST      FULL BODY EU QUARTZ



## GOLD HORIZON

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| GOLD HORIZON      FULL BODY EU QUARTZ



## GOLDEN ESSENCE

  
LINEAPHOENIX®

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| GOLDEN ESSENCE      FULL BODY EU QUARTZ




“SUGGERIMUS SED NON IMPONIMUS”

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - [WWW.PHOENIXPROINC.COM](http://WWW.PHOENIXPROINC.COM) / IT +39 392.061.6350 USA +1 781.789.8943



**GRIS MORADO**



## HARMONIC GREY

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| HARMONIC GREY      FULL BODY EU QUARTZ



## HIGH SIERRA

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| HIGH SIERRA      FULL BODY EU QUARTZ



## HUMBLE GOLD

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| HUMBLE GOLD FULL BODY EU QUARTZ



## JUNEAU

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| JUNEAU FULL BODY EU QUARTZ



KATHMANDU



KATHMANDU




  
LINEAPHOENIX®



KRIPTON




KRIPTON



LILINOE



LILINOE



  
LINEAPHOENIX®



## MATISSE GOLD

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| MATISSE GOLD FULL BODY EU QUARTZ



## MISTY COVE

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| MISTY COVE FULL BODY EU QUARTZ




## MORNING FOG

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| MORNING FOG

FULL BODY EU QUARTZ



## MOSCOW



LINEAPHOENIX®

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM



| MOSCOW


FULL BODY EU QUARTZ



## NAVONA CREAM



## NAVONA CREAM




  
LINEAPHOENIX®

**NIGHT WATCH (SILK FINISH ONLY)**



**NIGHT WATCH**

  
**LINEAPHOENIX®**



## PERLA ROSATA

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| PERLA ROSATA FULL BODY EU QUARTZ



## PIECE DE RESISTANCE (VEIN STRUCTURE AND COLOR INTENSITY MAY VARY BY LOT)

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| PIECE DE RESISTANCE FULL BODY EU QUARTZ



## PRIMAVERA

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| PRIMAVERA

FULL BODY EU QUARTZ



ROMANO CREAM



ROMANO CREAM




**LINEAPHOENIX®**

## RYTHMIC BLUE

  
LINEAPHOENIX®

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| RYTHMIC BLUE      FULL BODY EU QUARTZ



## SATURINO



## SATURINO



  
LINEAPHOENIX®



“SUGGERIMUS SED NON IMPONIMUS”  
QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

## SERENITY

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| SERENITY

FULL BODY EU QUARTZ




SHELL WHITE



SHELL WHITE

  
LINEAPHOENIX®



“SUGGERIMUS SED NON IMPONIMUS”  
QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

**SPALDING GRAY**



**SPALDING GRAY**



## STATUARIO ALTISSIMO

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| STATUARIO ALTISSIMO FULL BODY EU QUARTZ



## STATUARIO CLASSICO

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| STATUARIO CLASSICO FULL BODY EU QUARTZ



## STATUARIO ROMA

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| STATUARIO ROMA      FULL BODY EU QUARTZ




## STATUARIO VENATO



STATUARIO VENATO

  
LINEAPHOENIX®



## SUMMER DREAM

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| SUMMER DREAM      FULL BODY EU QUARTZ




## SUPER WHITE

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM


| SUPER WHITE      FULL BODY EU QUARTZ



THASSOS EXTRA



THASSOS EXTRA




  
LINEAPHOENIX®



UNIQUE GRAY



UNIQUE GRAY



WINTER CREEK



WINTER CREEK



## WHITE MIST

  
**LINEAPHOENIX®**

THICKNESS = 2 CM & 3 CM  
SLAB SIZE = 350X200 CM

| WHITE MIST

FULL BODY EU QUARTZ





## NATURAL STONE & QUARTZ PRODUCTION

*supplier of surfaces for over 30 years!*

Via Verdi 2  
24040 LALLIO (BG)  
ITALY

Phone: +39 392.061.6350      USA +1 781.789.8943  
E-mail: stefano@bstitaly.com    ben.arditi@phoenixproinc.com

## WARRANTY & QUARTZ SURFACE CARE

### Importers' Version

#### WARRANTY

Unlike with natural stones, it is very rare to encounter defects on Quartz surfaces. However, in the presence of imperfection, **WARRANTY ISSUED TO THE IMPORTER ONLY** for unsold, intact, unprocessed material, and covers manufacturing defects only (i.e. Faults on the finish, cracks). As the manufacturing process involves human controlled robots, and manual labor, inconsistencies in "Through Body Veining", variations in background tone in different lots are not a defect, thus not covered under any circumstances.

Material should immediately be inspected upon receipt, and in case of a defect, importer **MUST INFORM THE SELLER WITHIN 7 BUSINESS DAYS FROM RECEIPT OF MATERIAL**. Any claims made after this period will not be considered.

As is customary in the industry, the size of the defective area will be prorated, and the sum obtained will be credited to the importer.

**Seller's warranty does not cover damage caused by transportation beyond FOB point, and inadequate storage (outdoors) after receipt of material.**

**THIS WARRANTY DOES NOT EXTEND TO IMPORTER'S CUSTOMERS, OTHER THIRD PARTIES, OR END USERS.**

#### QUARTZ SURFACE CARE

Maintaining your new quartz countertop is easy. In most cases, soap and water or a mild detergent is all that is required to maintain its luster. If necessary, apply common, non-abrasive, household cleaners on a cloth or sponge and wipe the surface, rinsing thoroughly after cleaning.

#### SPILLS

Sometimes spills occur and dry on the worktop. Materials that harden as they dry, such as gum, grease, nail polish or paint should be removed by gently scraping away the residue material with a blunt plastic scraper. *Then the quartz surface should be cleaned with a household vinegar / water solution (always follow the manufacturer's dilution instructions) or with a non-abrasive cleaning pad (such as a white 3M Scotch-Brite®) together with a non-bleach, non-abrasive liquid cleaner and rinse thoroughly with clean water.* Surface should be dried with a clean white paper towel or white cloth.

"SUGGERIMUS SED NON IMPONIMUS"

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

### **RESISTANCE TO STAINS AND CHEMICALS**

Quartz countertops are non-porous, so spills and stains are not absorbed into the surface, making it stain-resistant, but **NOT STAIN PROOF**. *Permanent markers / Inks and some chemicals, solvents (e.g. acetone, paint thinner, nail polish remover) or dyes may, however, cause permanent discoloration to the surface and should be avoided.* Should these agents come into contact with the surface, wipe up immediately and rinse with plenty of water.

❑ **DO NOT** expose, in use or otherwise, quartz surfaces to *abrasive, strong alkaline, acetone, acid, free radicals, oxidizers or the like (whether high, neutral or low pH) cleaners.* Avoid exposing your tops to harsh chemicals!

❑ **DO NOT** use or expose quartz surfaces to such products, including, but not limited to bleach, oven cleaners, **Comet ®, Soft Scrub ®, SOS ®, products with pumice, batteries, paint removers, acetone, nail polish remover, furniture strippers, oil soaps, tarnish, or silver cleaners, or the like.** **DO NOT** use abrasive or harsh scrub pads.

❑ **DO NOT** apply any sealers, penetrants or topical treatments to quartz surfaces under any circumstances. Such products will wear off and cause the gloss to appear dull or inconsistent.

### **HEAT RESISTANCE**

Quartz countertops **ARE NOT** heat proof, chemical proof or fracture proof in any form. To maintain the beauty of your quartz countertop, **DO NOT** place hot skillets or roasting pans directly onto the surface. *Also be aware of the potential damage to the surface by heat generating appliances such as electric grills, crock pots, or toasters.* Industry recommends the use of trivets and hot pads to prevent heating the top. Certain exposure to heat may cause cracks due to thermal shock.

### **CUTS OR SCRATCHES**

**Avoid using knives directly on the quartz surface.** Quartz countertops are scratch resistant, but they are not scratch-proof and can be damaged when forcefully hit with sharp objects. Use a cutting board placed on top of the countertop to avoid damage. *Avoid sliding heavy pots and pans or other heavy items across the countertop.*

**With a small amount of care, your quartz surface will look as great as the day you bought it for years to come**



# QUARTZ SURFACES

**BST SRL – LINEAPHOENIX® BRANDED  
& GENERIC BRAND QUARTZ SURFACES M.S.D.S.**

*“SUGGERIMUS SED NON IMPONIMUS”*

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® – [WWW.PHOENIXPROINC.COM](http://WWW.PHOENIXPROINC.COM) / IT +39 392.061.6350 USA +1 781.789.8943

## **ATTENTION "MUST READ" DOCUMENT**

THE FOLLOWING IS PROVIDED FOR INFORMATIVE PURPOSES ONLY  
INFORMATION HEREIN CONTAINED IS BASED ON GENERAL INDUSTRY GUIDELINES

**PRODUCER, SELLER ASSUME NO RESPONSIBILITY  
USE AT OWN RISK**

**Version:** 29 December, 2025

### **01 COMPANY INFORMATION**

**BST SRL** – VIA VERDI 2, LALLIO (BG) 24040 – ITALY  
ATTN: STEFANO CAVALLI  
MOBILE / WHATSAPP: +39 392.061.6350 EMAIL: stefano@bstitaly.com

### **02 PRODUCT INFORMATION**

#### **2.1 Product Description**

Quartz slabs, prefabricated countertops, and cut-to-size countertops – as applicable.

#### **2.2 Product Use**

Surfacing material for interior application only. **DO NOT USE OUTDOORS.**

#### **2.3 Product Composition**

Component Composition =93% ( $\pm 3.2\%$  - Depending on the color composition) May contain one or more of crushed silica quartz, Titanium Oxide -  $TiO_2$ , glass, mirror, granite, and other natural stone.

Polyester resin and color pigments for the balance.

### **03 POTENTIAL SIDE EFFECTS**

**INDUSTRY HAS DETERMINED THAT QUARTZ SURFACES, IN FINISHED FORM, DO NOT PRESENT ANY HEALTH HAZARD TO END USERS.**

Dust and powder generated from fabrication and installation may cause irritation to skin, eyes, nose, and airways.

Adequate ventilation systems should exist in the fabrication work areas to minimize constant inhalation of flying dust and powder.

Fabricators and installers should use vacuum cleaning equipment, dust pick / up systems, and protection masks.

Massive inhalation of **Crystalline Silica** may cause pulmonary diseases such as bronchitis, emphysema, and other pulmonary diseases.

**IMPORTANT PRACTICE: INDUSTRY RECOMMENDS THAT THE PRODUCT TO BE MADE, FABRICATED, AND INSTALLED USING WET PRODUCTION METHODS.**

"SUGGERIMUS SED NON IMPONIMUS"

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

## 04 FIRST AID MEASURES

In the event of any unwanted contact with powder and dust, please follow these guidelines:

- Skin: Wash exposed skin with soap and water. Remove exposed clothing.
- Eyes: Wash hands thoroughly first. Flush eyes with plenty of water.
- Dizziness: Take the affected person to fresh air or a well-ventilated area.
- Ingestion: Seek medical attention.

## 05 FIRE FIGHTING MEASURES

The product is hardly flammable.

- Extinguishing Method: Use standard extinguishers.
- Firemen Protection: Standard equipment.
- Explosion: No explosion danger.

## 06 LEAKS AND SPILL RESPONSE

Not applicable.

## 07 HANDLING AND STORAGE

**ATTENTION: QUARTZ SLABS ARE VERY HEAVY!** Handle the product with care.

Secure properly when placing slabs on rack or A-frame.

Observe all safety handling measures and disposal regulations for the stone industry.

### 7.1 Handling Measures

Use eye protection and dust masks when cutting and polishing material.

Use steel-toed footwear and wear industrial gloves when handling material.

Wash hands before eating and drinking.

Wash thoroughly after work using soap and water.

**Good hygiene practices should be followed when handling this material.**

### 7.2 Storage Conditions

**ATTENTION:** Not to place more than 20 slabs on rack or A-frame. • Not to place more than 20 prefabricated countertops on rack or A-frame. • **RECOMMENDED: NO OUTDOOR STORAGE. NO EXPOSURE TO SUN AND RAIN.**

## 08 PREVENTIVE MEASURES / PERSONAL PROTECTION

### 8.1 Cutting, Sanding, and Polishing

**ATTENTION:** Use safety goggles, face and neck protection, and dust masks. • Use dust extraction equipment. • Use dust vacuum cleaning equipment.

### 8.2 Slabs and Countertops Handling

Industry recommends doing it in an adequately marked area away from frequent foot traffic. **RECOMMENDED:** *AUTOMATION OF THE HANDLING OF HEAVY OR COMPLEX PIECES.*

## 09 PHYSICAL & CHEMICAL PROPERTIES

Physical Appearance is VARIOUS & MULTI-COLORED ENGINEERED QUARTZ STONE.

Odorless

pH not applicable

Moisture Absorption: 0.06% or less

Density  $\frac{3}{4}$ " inch thickness = 151.95 lb. / ft<sup>3</sup>

## 10 TECHNICAL PROPERTIES

Durability: Mohs Hardness Scale Quartz = 7 Diamond = 10 (highest)

Impact Resistance: No fracture

High Temperature Resistance: No effect

Cigarette Test: Pass

Strength Flexural Strength:  $\geq 4,382$  psi (308.1 kg / cm)

Compressive Strength:  $\geq 30,400$  psi (2,137.8 kg / cm)

Stain Resistance: No effect

Wear and Cleanability: Pass

Resistance to Fungi and Bacteria: No traces of growth

Resistance to Household Chemicals: Pass

Resistance to Chemical Substances: Not affected

Safety and Health Surface Burning: Class A rated Volatile

Organic Compounds (VOCs) 7.01 mg / kg

Benzene Toluene Ethylbenzene Xylene (BTEX) Benzene and Xylene= Not detected

"SUGGERIMUS SED NON IMPONIMUS"

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

Toluene = 5.45 mg / kg

Ethylbenzene = 1.20 mg / kg

Styrene Not detected

## 11 STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions to Avoid: Outdoor, sun, and rain

Materials / Chemical to Avoid: Hydrofluoric acid

### 11.1 Hazardous decomposition products

Upon decomposition, hydrocarbons, carbon dioxide, carbon monoxide fumes, and water may be released. Hazardous Polymerization Will not occur.

## 12 TOXICOLOGICAL INFORMATION

**ATTENTION:** The powder generated in the manufacturing process contains Silica ( $\text{SiO}_2$ ). Prolonged and massive inhalation of Crystalline Silica may cause pulmonary fibrosis, pneumoconiosis and silicosis, as well as a worsening of other pulmonary diseases (bronchitis, emphysema, etc.).

The main symptom of **SILICOSIS** is the loss of pulmonary capacity. Per American Lung Association, people with silicosis have a greater risk of getting lung cancer, chronic bronchitis, tuberculosis, autoimmune disorders and kidney disease.

Per A.St.A, Silicosis is a preventable disease, and engineered stone, like other silica-containing products, can be fabricated safely when fabricators adhere to proven, effective safety regulations and requirements when cutting or installing these products.

**ATTENTION:** As of September 23, 2017, **ALL FABRICATORS IN THE INDUSTRY ARE REQUIRED TO COMPLY WITH OSHA'S "RESPIRABLE CRYSTALLINE SILICA" RULE**

**RECOMMENDED:** [CLICK FOR OSHA "RESPIRABLE CRYSTALLINE SILICA" RULE](#)

## 13 ENVIRONMENTAL INFORMATION

Ecotoxicity: No detrimental environmental impact is known.

Mobility: Not volatile.

In liquids: Insoluble in aquatic environment.

No biodegradability data is available.

## 14 WASTE DISPOSAL CONSIDERATIONS

Any waste shall be disposed of in an appropriate and approved waste disposal facility.

Discard and dispose of in accordance with FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS. **Quartz Surfaces are not classified as hazardous waste.**

"SUGGERIMUS SED NON IMPONIMUS"

QUARTZ SURFACES / LPHX EU - QUARTZ BY LINEAPHOENIX® - WWW.PHOENIXPROINC.COM / IT +39 392.061.6350 USA +1 781.789.8943

## 15 TRANSPORTATION INFORMATION

Quartz products transport is not regulated by the US Department of Transportation.

## 16 OTHER INFORMATION

This Material Safety Data Sheet (MSDS) does not replace any technical specifications.

**ALL INFORMATION, WARNINGS AND RECOMMENDATIONS IN THIS DOCUMENT ARE MADE IN GOOD FAITH**

**NOTHING EXPRESSED HEREIN CAN BE INTERPRETED OR CONSTRUED AS A WARRANTY OR OTHER IMPLICIT CONDITION (LEGAL OR ANY OTHER KIND)**

